

References

Note: This bibliography includes references cited in the protocol and other selected references. EPA is currently developing a more extensive annotated bibliography of references concerning sediment water quality analysis and management, which will be made available under separate cover.

Berg, N.H., K.B. Roby, and B.J. McGurk. 1996. Cumulative watershed effects: Applicability of available methodologies to the Sierra Nevada. In Vol. III, *Assessments, commissioned reports, and background information, Sierra Nevada Ecosystem Project: Final report to Congress*. University of California, Davis, Centers for Water and Wildland Resources.

Bisson, P.A., G.H. Reeves, R.E. Bilby, and R.J. Naiman. 1997. Watershed management and Pacific salmon: Desired future conditions. In *Pacific salmon and their ecosystems—Status and future options*, ed. Stouder, Bisson, and Naiman. Chapman and Hall, New York.

Black, 1991. *Watershed Hydrology*. Englewood Cliffs, New Jersey

California Department of Fish and Game. 1994. *Coho salmon habitat impacts—Qualitative assessment technique for registered professional foresters*. Draft no. 2, November 1994.

California Department of Forestry. 1990. *Forest practice rules, technical rule addendum No. 1*.

Chapman, D.W., and K.P. McLeod. 1987. *Development of criteria for fine sediment in the Northern Rockies Ecoregion*. EPA 910/9-87-162. U.S. Environmental Protection Agency, Washington, DC.

Clarke, C.D., and P.G. Waldo. 1986. Sediment yield from small and medium watersheds. In *Proceedings of the Fourth Interagency Sedimentation Conference*, pp. 3-19 to 3-28.

Davenport, T.E. 1983. *Soil erosion and transport dynamics in the Blue Creek Watershed, Pike County, Illinois*. IEPA/WPC/83/004. Illinois Environmental Protection Agency.

Dietrich, W.E., J.W. Kirchner, H. Ikeda, and F. Iseya, 1989, Sediment supply and the development of the coarse surface layer in gravel-bedded rivers, *Nature*, v.340, no. 6230, p. 215-217.

Dietrich, W.E., C.J. Wilson, D.R. Montgomery, J. McKean, and R. Beaver. 1992. Erosion thresholds and land surface morphology. *Geology* 20:675-79.

Dietrich, W.E., C.J. Wilson, D.R. Montgomery, and J. McKean. 1993. Analysis of erosion thresholds, channel networks, and landscape morphology using a digitized terrain. *Journal of Geology* 101(2):259-78.

Dissmeyer, G.E. 1994. *Evaluating the effectiveness of forestry best management practices in meeting water quality goals or standards*. U.S. Forest Service Miscellaneous Publication 1520. U.S. Department of Agriculture Forest Service, Washington, DC.

Dunne, T., and L.B. Leopold. 1978. *Water in environmental planning*. W.H. Freeman and Co., San Francisco, CA.

Endicott, C.L., and T.E. McMahon. 1996. *Development of a TMDL to reduce nonpoint source sediment pollution in Deep Creek, Montana*. Report to Montana Department of Environmental Quality.

Gomez, B., and M. Church. 1989. An assessment of bed load sediment transport formulae for gravel bed rivers. *Water Resources Research* 25(6):1161-1186.

Ketcheson, G.L. 1986. *Sediment rating equations: An evaluation for streams in the Idaho Batholith*. Intermountain Research Station General Technical Report INT-213. U.S. Department of Agriculture Forest Service, Ogden, UT.

Knopp, C. 1993. *Testing indices of cold water fish habitat*. California North Coast Regional Water Quality Control Board, Santa Rosa, CA.

Kondolf, G.M. 1995. Geomorphological stream classification in aquatic habitat classification: Uses and limitations. *Aquatic Conservation* 5:27-141.

- Lewis and Rice. 1989. *Critical sites erosion study*. Vol. II. *Site conditions related to erosion on private timberlands in Northern California*. Report of a cooperative investigation by the California Department of Forestry and U.S. Forest Service PSW Forest and Range Experiment Station.
- Lewis and Rice. 1990. Estimating erosion risk on forest lands using improved methods of discriminant analysis. *Water Resources Research* 26(8):1721-33.
- Limno-Tech, Inc. 1993. *Silver Creek, AZ demonstration TMDL*. Prepared for U.S. Environmental Protection Agency, Region 9.
- Lisle, T., and S. Hilton. 1992. The volume of fine sediment in pools: An index of sediment supply in gravel-bed streams. *Water Resources Bulletin* 28(2):371-383.
- Louisiana-Pacific Corporation. 1996. *Watershed analysis manual*. Samoa, CA.
- MacDonald, L. 1992. Sediment monitoring: Reality and hope. Presented at EPA/USFS Technical Workshop on Sediments, February 3-7, 1992, Corvallis, OR.
- MacDonald, L., A.W. Smart, and R.C. Wissmar. 1991. *Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska*. EPA 910/9-91-001. U.S. Environmental Protection Agency, Region 10, Nonpoint Source Section, Seattle, WA.
- McGurk, B.J., and D.R. Fong. 1995. Equivalent roaded area as a measure of cumulative effect of logging. *Environmental Management* 19(4):609-621.
- McMahon, T.E. 1983. *Habitat suitability index models: Coho salmon*. FWS/OBS-82/10.49. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC.
- Miller, J.R., and J.B. Ritter. 1996. An examination of the Rosgen classification of natural rivers. *Catena* 27:295-99.
- Montgomery, D.R., and W.A. Dietrich. 1994. A physically based model for the topographic control on shallow landsliding. *Water Resources Research* 30:1153-71.
- Naiman, R.J., and R.E. Bilby. 1998. *River ecology and management*. Springer-Verlag New York, Inc.
- Ohlander, C.A. 1991. *Water resources analysis: T-Walk—water quality monitoring field manual and tables*. U.S. Department of Agriculture Forest Service, Region 2.
- Peterson, N.P., A. Henry, and T.P. Quinn. 1992. *Assessment of cumulative effects on salmonid habitat: Some suggested parameters and target condition*. Prepared for the Washington Department of Natural Resources and The Coordinated Monitoring, Evaluation and Research Committee, Timber Fish and Wildlife Agreement. March 2.
- Phillip Williams Associates. 1996. *Garcia river gravel management plan*. San Francisco, CA.
- Platts, W. S. 1990. *Managing fisheries and wildlife on rangelands grazed by livestock*. Nevada Department of Wildlife, Reno, NV.
- Platts, W.S., W.F. Megahan, and G.W. Minshall. 1983. *Methods for evaluating stream, riparian, and biotic conditions*. General Technical Report INT-183. U.S. Department of Agriculture, Forest Service, Ogden, UT.
- Regional Ecosystem Office. 1995. *Ecosystem analysis at the watershed scale*. Version 2.2. U.S. Government Printing Office: 1995-689-120/21215. Regional Ecosystem Office, Portland, OR.
- Reid, M. 1996. *Evaluating timber management effects on land uses and values in Northwest California*. Draft, December 3.
- Reid, M. 1997. *Comparative analysis of watershed analysis methods for TMDL analysis*. Draft, May 1997.
- Reid, L.M., and T. Dunne. 1996. *Rapid evaluation of sediment budgets*. Catena Verlag, Reiskirchen, Germany.
- Reiser, D.W., and T.C. Bjornn. 1979. 1. Habitat requirements of anadromous salmonids. In *Influence of*

- forest and rangeland management of anadromous fish habitat in the western United States and Canada*, ed. W.R. Meehan. General Technical Report PNW-96. U.S. Department of Agriculture Forest Service.
- Reiser, D.W., and J.B. Bradley. 1992. Fine sediment intrusion and salmonid habitat. In *Advances in hydro-science and engineering*, Vol. 1., ed. Sam S.Y. Yang.
- Renard, K.G., G.R. Fpster, G.A. Weesies, D.K. McCool, and D.C. Yoder, coordinators. 1997. Predicting Soil Erosion by Water: A Guide to Conservation Planning With the Revised Universal Soil Loss Equation (RUSLE). U.S. Department of Agriculture, Agriculture Handbook No. 703, 404 pp.
- Rosenburg, D.M., and V.H. Resch. 1993. *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman & Hull, New York.
- Rosgen, D. 1996. *Applied river morphology*. Wildland Hydrology Books, Pagosa Springs, CO.
- Satterlund D.R., and P.W. Adams, 1993. *Wildland Watershed Management*. 2nd edition. New York.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. *An ecosystem approach to salmonid conservation*. TR-4501-96-6057. ManTech Environmental Research Services, Corp. National Marine Fisheries Service, Portland, OR.
- USDA Agricultural Research Service. 1975. Present and prospective technology for predicting sediment yield and sources. In *Proceedings, Sediment Yield Workshop*. 1972. Oxford, MS.
- USDA Forest Service. 1988. Cumulative off-site watershed effects analysis. In *USDA Forest Service Region 5 soil and water conservation handbook*. FSH 2509.22. U.S. Department of Agriculture Forest Service, San Francisco, CA.
- USDA Forest Service, PSW Region. 1996. *Stream condition inventory protocol version 3.4*. Draft, June 27, 1996.
- USDOI-BLM. 1993/1995. *Process for assessing proper functioning condition*. TR1737-9. Revised 1995.
- U.S. Department of the Interior, Bureau of Land Management, Washington, DC.
- USDOI-BLM. 1995. *Mainstem Trinity River Watershed analysis*. U.S. Department of the Interior, Bureau of Land Management, Washington, DC.
- USEPA. 1989. *Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish*. EPA/444/4-89-001. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1991a. *Guidance for water quality-based decisions: The TMDL process*. EPA 440/4-91-001. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1991b. *Technical support document for water quality-based toxics control*. EPA/505/2-90-001. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1992a. *TMDL case study: Sycamore Creek, Michigan*. EPA841-F-92-012. U.S. Environmental Protection Agency, Office of Water, Assessment and Watershed Protection Division, Washington, DC.
- USEPA. 1992b. *TMDL case study: South Fork of the Salmon River, Idaho*. U.S. Environmental Protection Agency, Office of Water, Assessment and Watershed Protection Division, Washington, DC.
- USEPA. 1992c. *Monitoring guidance for the National Estuary Program*. EPA 842 B-92-004. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1993. *Guidance specifying management measures for sources of nonpoint source pollution in coastal waters*. EPA 840-B-92-002. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1994a. *EPA requirements for quality assurance project plans for environmental data operations*. EPA QA/R-5. Draft interim final, August 1994. U.S. Environmental Protection Agency, Quality Assurance Management Staff, Washington, DC.
- USEPA. 1994b. *Guidance for the data quality objectives process*. EPA QA/G-4. EPA/600/R-96/055. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

- USEPA. 1995a. *Watershed protection: A statewide approach*. EPA 841-R-95-001. U.S. Environmental Protection Agency, Washington DC.
- USEPA. 1995b. *Watershed protection: A project focus*. EPA 841-R-95-003. U.S. Environmental Protection Agency, Washington DC.
- USEPA. 1996a. *TMDL development cost estimates: Case studies of 14 TMDLs*. EPA-R-96-001. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1996b. *Watershed approach framework*. EPA-840-5-96-001. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1996c. *Chalk Creek Watershed project implementation plan—Continuation project summary sheet, 1996*. U.S. Environmental Protection Agency, Region 8, Denver, CO.
- USEPA. 1996d. *Nonpoint source monitoring and evaluation guide*. Draft final, November 1996. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- USEPA. 1997a. New policies for establishing and implementing Total Maximum Daily Loads (TMDLs). U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1997b. *Linear regression for nonpoint source pollution analysis*. EPA-841-B-97-007. U.S. Environmental Protection Agency, Washington, DC.
- USEPA. 1997c. *Compendium of tools for watershed assessment and TMDL development*. EPA 841-B-97-006. U.S. Environmental Protection Agency, Washington, DC.
- USEPA 1998. Redwood Creek Sediment Total Maximum Daily Load. US Environmental Protection Agency, Region 9, Water Division, San Francisco, CA.
- USEPA 1999. Draft Guidance for Water Quality-based Decisions: The TMDL Process (Second Edition). EPA 841-D-99-001. U.S. Environmental Protection Agency, Washington, DC.
- Vanoni, V.A., ed. 1975. *Sedimentation engineering*. American Society of Civil Engineers, New York, NY.
- Van Sickle, J., and R.L. Beschta. 1983. Supply-based models of suspended sediment transport in streams. *Water Resources Research* 19(3):768-778.
- Washington Forest Practices Board. 1994. *Standard methodology of conducting watershed analysis under chapter 222-22 WAC*. Version 2.1, November 1994. Washington Forest Practices Board, Olympia, WA.
- Waters, T.F. 1995. *Sediment in streams—Sources, biological effects, and control*. American Fisheries Society Monograph 7. American Fisheries Society, Bethesda, MD.
- Weaver, W., and D. Hagans. 1996. Sediment treatments and road restoration: Protecting and restoring watersheds from sediment-related impacts. In *Healing the watershed—A guide to the restoration of watersheds and native fish in the west*. Pacific Rivers Council, Inc.
- White, W.R., H. Milli, and A.D. Crabbe. 1978. *Sediment transport: An appraisal of available methods*. UK Hydraulics Research Station Report 119. Hydraulics Research Station, Wallingford, UK.
- Wolman, M.G., and J.P. Miller. 1960. Magnitude and frequency of forces in geomorphic processes. *Journal of Geology* 68:54-74.
- Young, M.K., et al. 1991. Selection of measures of substrate composition to estimate survival to emergence of salmonids and to detect changes in stream substrate. *North American Journal of Fisheries Management* 11:339-346.